

OWNER'S MANUAL

Control Panel R2007FX / R2009FX with Remote

Control





atecpool.com




Technical Specification

Input Voltage: 220V-240V Output Power: 220W

Working temperature: 0 °C -50 °C Size: 195mm x 195mm x 90mm

Weight: 3.75Kg

Installation




Technical Specification

Input Voltage: 220V-240V Max Power: 1500W

Working temperature: 0 °C -40 °C Size: 195mm x 195mm x 90mm

Weight: 1 Kg

Installation



3. "REMOTE" button for pairing the remote with the controller

Power Light

2.Output(220 - 240V AC) to Stepdown Transformer

1. Input the power source(220-240V AC) to the controller

Remote Controlling


For pairing: After installing R2007FX / R2009FX, press the "REMOTE" button on the controller, then press any button on the remote to confirm pairing.

Remove all pairing: press and hold the "REMOTE" button for 6 seconds.

Note:

- Each controller comes with one remote control.
- The max distance for remote controlling is 50 meters
- The remotes uses 23A/12V battery

Remote Controlling: Buttons





"Adding light to your life"

Contact us

Head Office Spain

ATEC POOL INTERN ACIONAL ESPAÑA

World Trade Center Edificio Sur 2ª Planta - Muelle de Barcelona E-08039 Barcelona, Spain Tel. +34 93 3443358 Email: info@atecpool.com

United Arab **Emirates**

A-TECHNOLOGIES FZCO

Jebel Ali Free Zone P.O.Box: 18400 Dubai **United Arab Emirates** Tel.+ 971 4 8860880 Fax: +971 4 8860881

Email: info@a-technologies.com

Sweden

A-TECHNOLOGIES SWEDEN AB

Frillesaasvaegen 83 S-439 62 Frillesaas. Sweden Tel. + 46 703 655 630 Email: info@atecpool.se

Australia

A-TECHNOLOGIES AUSTRALIA

20 Me rcantile Crt. Molendinar, Qld 4214 P.O. Box: 638, Ashmore City Tel. + 61 7 55 949111 Fax: +61 7 55 949266 Email: info@atecpool.au

For more product information:

atecpool.com









