



ATECPOOL

A-CONNECT



MONITOR & MANAGE YOUR POOL FROM WHEREVER YOU ARE!

*Inspired
by Water*



Atecpool Wi-Fi Pool

Automated pool

Atecpool Wi-Fi Pool

Automatic wifi-connected control system for inground and above-ground swimming pools. Keeping your pool water warm, clean and healthy is child's play with this revolutionary pre-assembled wifi control system. The system is modular and through the use of Smart Plugs Wifipool is the latest revelation in the world of smart pools. Monitoring and managing parameters such as pH and chlorine level, temperature, current and water levels goes like clockwork with our handy app, available for Android and iPhone. Controlling the filter pump via frequency regulator, switching lights on and off and controlling the temperature are all possible with the Wifipool app.

Crystal-clear water with the perfect temperature is just a few clicks away!

Monitor & manage your pool
from wherever you are!



Atecpool Wi-Fi Pool

Automated pool

Atecpool Wi-Fi Pool



Wi-Fi connection



Easy Touch
Easy Run



Automatic wifi control system for built-in pools, aboveground pools and spas

The Atecpool Wifipool Smart Plug can be used to turn on and off virtually any pool equipment, e.g. a filtration pump, dosing pump or UV lamps, etc. In combination with our measurement modules, the Smart Plug can be programmed to start and stop depending on temperature, pH or chlorine levels, etc.

Product	Code	Description
	WIFIPX0100	Wifipool plug 16A power measurement.
	WIFIPX0110	Wifipool plug 10A power measurement.
	WIFIPX0010	Wifipool on/off smart switch without power measurement 16A.
	WIFIPX0020	Wifipool on/off smart switch with power measurement 16A.
	WIFIPX0188	Frequency regulator for filter pump 240V (up to 15kW)
	WIFIPX2355	Wifipool CONNECT GO measuring box for water treatment (pH / RX / Level x2-Flow), expandable to pH and chlorine control.
	WIFIPX2365	Wifipool CONNECT PRO measuring box (pH / RX / Temp x2, Level x2 - Flow), expandable for control of pH, RX and heating.
	WIFIPX2325	Wifipool module RX / flow / level incl probe Platinum + clamp saddle 50mm > 1/2 inch + probe gland + USB transformer plug 1 connection.
	WIFIPX2320	Wifipool module pH / flow / level incl probe + tapping saddle 50mm > 1/2 inch + probe gland + USB transformer plug 1 connection
	WIFIPX2311	Wifipool module TLF (2x temp / flow / level) incl temp probe + clamp saddle 50mm > 1/2 inch + temp probe gland + USB transformer plug 1 connection.

Salt Electrolysis



Smart plug



Rx module

=



Fully automated Salt Electrolysis

pH Dosing



Wi-Fi modified peristaltic pump



pH module

=



Fully automated pH Dosing

Pool Heating



Smart plug



TLF module

=



Fully automated Heat Pump